

Package ‘ggstackplot’

January 31, 2025

Title Create Overlapping Stacked Plots

Version 0.4.1

Description Easily create overlapping grammar of graphics plots for scientific data visualization.
This style of plotting is particularly common in climatology and oceanography research communities.

License MIT + file LICENSE

URL <https://ggstackplot.kopflab.org/>,
<https://github.com/kopflab/ggstackplot>

BugReports <https://github.com/kopflab/ggstackplot/issues>

Encoding UTF-8

RoxygenNote 7.3.2

Depends R (>= 4.1.0)

Imports rlang, cli, methods, lifecycle, tidyselect, dplyr, tidyr,
ggplot2, cowplot, RColorBrewer

Suggests knitr, rmarkdown, testthat (>= 3.0.0), vdiff, scales,
pangear

Config/testthat/edition 3

VignetteBuilder knitr

NeedsCompilation no

Author Sebastian Kopf [aut, cre, cph]
(<https://orcid.org/0000-0002-2044-0201>),
Tristan Caro [aut] (<https://orcid.org/0000-0001-6177-7444>),
Jamie McFarlin [aut] (<https://orcid.org/0000-0002-8185-8185>),
Jon Raberg [aut] (<https://orcid.org/0000-0003-2959-3631>)

Maintainer Sebastian Kopf <sebastian.kopf@colorado.edu>

Repository CRAN

Date/Publication 2025-01-31 09:00:02 UTC

Contents

ggstackplot-package	2
ggstackplot	3
theme_stackplot	5
Index	7

ggstackplot-package *ggstackplot: Create Overlapping Stacked Plots*

Description

Easily create overlapping grammar of graphics plots for scientific data visualization. This style of plotting is particularly common in climatology and oceanography research communities.

Details

[Stable]

Have you ever wanted to create (partly) overlapping line plots with matched color-coding of the data and axes? These kinds of plots are common in climatology and oceanography research but there is not an easy way to create them with ggplot facets. The ggstackplot package builds on [ggplot2](#) to provide a straightforward approach to building these kinds of plots while retaining the powerful grammar of graphics approach of ggplots. Check out the functionality provided by ggstackplots at <https://ggstackplot.kopflab.org>

Author(s)

Maintainer: Sebastian Kopf <sebastian.kopf@colorado.edu> ([ORCID](#)) [copyright holder]

Authors:

- Tristan Caro <tristan.caro@colorado.edu> ([ORCID](#))
- Jamie McFarlin <jamie.mcfarlin@uwo.edu> ([ORCID](#))
- Jon Raberg <Jonathan.Raberg@colorado.edu> ([ORCID](#))

See Also

Useful links:

- <https://ggstackplot.kopflab.org/>
- <https://github.com/kopflab/ggstackplot>
- Report bugs at <https://github.com/kopflab/ggstackplot/issues>

Description

Use `ggstackplot()` to generate a stackplot. If you need more fine control, use `prepare_stackplot()` and `assemble_stackplot()` individually. To explore examples of all the different features, check out the vignette("explore", "ggstackplot") or the [online documentation](#).

Usage

```
ggstackplot(  
  data,  
  x,  
  y,  
  remove_na = TRUE,  
  color = NA,  
  palette = NA,  
  both_axes = FALSE,  
  alternate_axes = TRUE,  
  switch_axes = FALSE,  
  overlap = 0,  
  simplify_shared_axis = TRUE,  
  shared_axis_size = 0.2,  
  template = ggplot() + geom_line() + geom_point() + theme_stackplot(),  
  add = list(),  
  debug = FALSE  
)
```

```
prepare_stackplot(  
  data,  
  x,  
  y,  
  remove_na = TRUE,  
  color = NA,  
  palette = NA,  
  both_axes = FALSE,  
  alternate_axes = TRUE,  
  switch_axes = FALSE,  
  template = ggplot() + geom_line() + geom_point() + theme_stackplot(),  
  add = list(),  
  debug = FALSE  
)
```

```
assemble_stackplot(  
  prepared_stackplot,  
  overlap = 0,
```

```

  simplify_shared_axis = TRUE,
  shared_axis_size = 0.15,
  debug = FALSE
)

```

Arguments

<code>data</code>	the data frame to plot
<code>x</code>	the x variable(s) to plot, accepts <code>dplyr::select()</code> syntax. The order of variables is plotted from left to right (if multiple x).
<code>y</code>	the y variable(s) to plot, accepts <code>dplyr::select()</code> syntax. The order of variables in plotted from top to bottom (if multiple y).
<code>remove_na</code>	whether to remove NA values in the x/y plot, setting this to FALSE can lead to unintended side-effects for interrupted lines so check your plot carefully if you change this
<code>color</code>	which color to make the plots (also sets the plotwide color and fill aesthetics, overwrite in individual geoms in the <code>template</code> to overwrite this aesthetic), either one value for or one color per variable. Pick NA to not set colors (in case you want to use them yourself in the aesthetics).
<code>palette</code>	which color to make the plots defined with an RColorBrewer palette (<code>RColorBrewer::display.brewer.</code>). You can only use <code>color</code> or <code>palette</code> parameter, not both.
<code>both_axes</code>	whether to have the stacked axes on both sides (overrides <code>alternate_axes</code> and <code>switch_axes</code>)
<code>alternate_axes</code>	whether to alternate the sides on which the stacked axes are plotted
<code>switch_axes</code>	whether to switch the stacked axes. Not switching means that for vertical stacks the plot at the bottom has the y-axis always on the left side; and for horizontal stacks that the plot on the left has the x-axis on top. Setting <code>switch_axes = TRUE</code> , leads to the opposite.
<code>overlap</code>	fractional overlap between adjacent plots. The max of 1 means plots are perfectly overlaid. The min of 0 means there is no overlap. If providing multiple values, must be 1 less than the number of stacked plots (since it's describing the overlap/gap between adjacent plots). By default there is no overlap between plots
<code>simplify_shared_axis</code>	whether to simplify the shared axis to only be on the last plot (+ first plot if a duplicate secondary axis is set)
<code>shared_axis_size</code>	if <code>simplify_shared_axes</code> is true, this determines the size of the shared axis relative to the size of a single plot
<code>template</code>	a template plot (ggplot object) to use for the stacked plots
<code>add</code>	a list of ggplot component calls to add to specific panel plots, either by panel variable name (named list) or index (unnamed list)
<code>debug</code>	[Experimental] debug flag to print the stackplot tibble and gtable intermediates
<code>prepared_stackplot</code>	a nested data frame, the output from <code>prepare_stackplot()</code>

Details

ggstackplot() stacks a ggplot template with the provided data and parameters. It returns a plot object generated by `cowplot::plot_grid()`.

prepare_stackplot() is usually not called directly but can be used to assemble the parts of a stackplot first and then look at them or edit them individually before combining them with `assemble_stackplot()`. Returns a nested data frame with all stacked variables (.var), their plot configuration, data, plot object, and theme object.

assemble_stackplot() is usually not called directly but can be used to manually combine a stackplot tibble (typically created by `prepare_stackplot()`). Returns a plot object generated by `cowplot::plot_grid()`.

Value

ggstackplot() returns a ggplot with overlaid plot layers

prepare_stackplot() returns a tibble with all plot components

assemble_stackplot() returns a ggplot with overlaid plot layers

Examples

```
# 1 step stackplot (most common use)
mtcars |>
  ggstackplot(
    x = mpg,
    y = c(`weight [g]` = wt, qsec, drat, disp),
    palette = "Set1",
    overlap = c(1, 0, 0.3)
  )

# 2 step stackplot
mtcars |>
  prepare_stackplot(
    x = mpg,
    y = c(`weight [g]` = wt, qsec, drat, disp),
    palette = "Set1"
  ) |>
  assemble_stackplot(overlap = c(1, 0, 0.3))

# many more examples available in the vignette
vignette("ggstackplot")
```

Description

Returns a basic ggplot2 theme that extends `ggplot2::theme_bw()` with a transparent plot background to make sure overlapping plots do not cover each other up.

Usage

```
theme_stackplot()
```

Value

`ggplot2::theme()` object

Examples

```
library(ggplot2)
template <- ggplot() + geom_line() + theme_stackplot()

ggstackplot(
  data = mtcars,
  x = mpg, y = c(wt, qsec, drat),
  color = c("#E41A1C", "#377EB8", "#4DAF4A"),
  template = template
)
```

Index

`assemble_stackplot (ggstackplot)`, 3

`cowplot::plot_grid()`, 5

`dplyr::select()`, 4

`ggplot2::theme()`, 6

`ggplot2::theme_bw()`, 6

`ggstackplot`, 3

`ggstackplot-package`, 2

`prepare_stackplot (ggstackplot)`, 3

`prepare_stackplot()`, 4

`RColorBrewer::display.brewer.all()`, 4

`theme_stackplot`, 5