

Package ‘surveil’

October 3, 2023

Title Time Series Models for Disease Surveillance

Version 0.2.2

Date 2023-10-01

URL <https://connordonegan.github.io/surveil/>,
<https://github.com/ConnorDonegan/surveil/>

Description Fits time series models for routine disease surveillance tasks and returns probability distributions for a variety of quantities of interest, including age-standardized rates, period and cumulative percent change, and measures of health inequality. Calculates Theil's index to measure inequality among multiple groups, and can be extended to measure inequality across multiple groups nested within geographies. Inference is completed using Markov chain Monte Carlo via the Stan modeling language. The models are appropriate for count data such as disease incidence and mortality data, employing a Poisson or binomial likelihood and the first-difference (random-walk) prior for unknown risk. Optionally add a covariance matrix for multiple, correlated time series models. References: Donegan, Hughes, and Lee (2022) <[doi:10.2196/34589](https://doi.org/10.2196/34589)>; Stan Development Team (2021) <<https://mc-stan.org>>; Theil (1972, ISBN:0-444-10378-3).

License GPL (>= 3)

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

Biarch true

Depends R (>= 3.5.0)

Imports rstantools (>= 2.1.1), methods, Rcpp (>= 0.12.0), RcppParallel (>= 5.0.1), rstan (>= 2.26.0), tidybayes (>= 3.0.0), dplyr (>= 1.0.7), rlang (>= 0.4.0), tidyr (>= 1.1.0), ggplot2 (>= 3.0.0), gridExtra (>= 2.0), scales (>= 0.4.0), ggdist (>= 3.0.0)

LinkingTo BH (>= 1.66.0), Rcpp (>= 0.12.0), RcppEigen (>= 0.3.3.3.0), RcppParallel (>= 5.0.1), rstan (>= 2.26.0), StanHeaders (>= 2.26.0)

Suggests rmarkdown, knitr, testthat

SystemRequirements GNU make

VignetteBuilder knitr**NeedsCompilation** yes**Author** Connor Donegan [aut, cre] (<<https://orcid.org/0000-0002-9698-5443>>)**Maintainer** Connor Donegan <connor.donegan@gmail.com>**Repository** CRAN**Date/Publication** 2023-10-03 00:50:02 UTC

R topics documented:

surveil-package	2
apc	3
cancer	4
group_diff	5
msa	7
plot.surveil	8
plot.theil	10
print.apc	12
print.stand_surveil	14
priors	15
standard	17
standardize	17
stan_rw	19
surveil_diff	23
theil	24
waic	27
Index	28

surveil-package *The 'surveil' package*

Description

Fits time series models for routine disease surveillance tasks and returns probability distributions for a variety of quantities of interest, including measures of health inequality, period and cumulative percent change, and age-standardized rates. Calculates Theil's index to measure inequality among multiple groups, and can be extended to measure inequality across multiple groups nested within geographies. Inference is completed using Markov chain Monte Carlo via the Stan modeling language. The models are appropriate for disease incidence and mortality data, employing a Poisson or binomial likelihood and first-difference (random-walk) prior for unknown risk, and optional covariance matrix for multiple correlated time series models.

References

- Brandt P, Williams JT. Multiple time series models. Thousand Oaks, CA: SAGE Publications, 2007. ISBN:9781412906562
- Clayton DG. Generalized linear mixed models. In: Gilks WR, Richardson S, Spiegelhalter DJ, editors. Markov chain Monte Carlo in practice. Boca Raton, FL: CRC Press, 1996. p. 275-302. ISBN:9780412055515
- Conceicao P, Galbraith JK, Bradford P. The Theil Index in sequences of nested and hierarchic grouping structures: implications for the measurement of inequality through time, with data aggregated at different levels of industrial classification. *Eastern Economic Journal* 2001;27(4):491-514.
- Donegan C, Hughes AE, and Lee SC (2022). Colorectal Cancer Incidence, Inequalities, and Prevention Priorities in Urban Texas: Surveillance Study With the "surveil" Software Package. *JMIR Public Health & Surveillance* 8(8):e34589. doi:10.2196/34589
- Stan Development Team (2020). RStan: the R interface to Stan. R package version 2.21.2. <https://mc-stan.org>
- Theil H. Statistical decomposition analysis. Amsterdam, The Netherlands: North-Holland Publishing Company, 1972. ISBN:0444103783

 apc

Annual and cumulative percent change

Description

Summarize annual and cumulative percent change in risk

Usage

```
apc(x)

## S3 method for class 'surveil'
apc(x)

## S3 method for class 'stand_surveil'
apc(x)
```

Arguments

x A fitted surviel model, or standardized rates (a stand_surveil object).

Value

An apc (list) object containing the following data frames:

apc A data frame containing a summary of the posterior distribution for period-specific percent change. This contains the posterior mean (apc) 95 percent credible intervals (lwr and upr bounds).

cpc A data frame containing a summary of the posterior distribution for the cumulative percent change in risk at each time period. This contains the posterior mean (cpc) and 95 percent credible interval (lwr and upr bounds).

apc_samples MCMC samples from the posterior distribution for period percent change

cpc_samples MCMC samples from the posterior distribution for cumulative percent change

See Also

[plot.apc](#) [print.apc](#) [stan_rw](#) [standardize](#)

Examples

```
data(cancer)

fit <- stan_rw(cancer, time = Year, group = Age,
              iter = 900) # low iter for speed only
x <- apc(fit)
print(x)
plot(x, cumulative = TRUE)
```

cancer	<i>US cancer incidence by age, 1999-2017</i>
--------	--

Description

Annual cancer cases (all sites) by age group for the United States.

Usage

```
cancer
```

Format

A data frame with the following columns:

Year Year of diagnosis

Age Age group

Count Number of cancer cases

Population Age-specific population estimates

Source

United States Cancer Statistics - Incidence: 1999 - 2017, WONDER Online Database. United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute; 2020. Accessed at <http://wonder.cdc.gov/cancer-v2017.html> on Oct 6, 2021 12:38:09 PM

Examples

```
data(cancer)
head(cancer)
```

group_diff	<i>Measures of pairwise inequality</i>
------------	--

Description

Calculate pairwise measures of health inequality from a fitted `surveil` time series model, with credible intervals and MCMC samples. Calculates absolute and fractional rate differences (RD and population attributable risk (PAR)), rate ratios, and excess cases.

Usage

```
group_diff(x, target, reference)

## S3 method for class 'surveil'
group_diff(x, target, reference)

## S3 method for class 'list'
group_diff(x, ...)
```

Arguments

x	Either a fitted <code>surveil</code> time series model, or a list of two <code>stand_surveil</code> objects (i.e., <code>surveil</code> models with age-standardized rates, as returned by standardize). If x is a list of <code>stand_surveil</code> objects, see details below and note that the models must contain the same number of MCMC samples—to ensure this is the case, when using <code>stan_rw</code> set <code>iter</code> and <code>chains</code> to the same values for each of the two models.
target	The name (character string) of the disadvantaged group that is the target of inference. If x is a list of <code>stand_surveil</code> objects, the <code>target</code> argument is ignored and the first listed model will serve as the target group.
reference	The name (character string) of the reference group to which <code>target</code> will be compared. If x is a list of <code>stand_surveil</code> objects, the <code>reference</code> argument is ignored and the second listed model will serve as the reference group.
...	Additional arguments (not used).

Details**Comparing incidence rates:**

For the following calculations, the terms `reference` and `target` refer to incidence rates for the respective groups; `p` is the size of the target population. (Target is the group that is the 'target' of our inferences, so that it is the numerator in rate ratios, etc.) The following measures are calculated by `group_diff`:

```

# rate difference
RD = target - reference
# population attributable fraction
PAR = RD/target = (RR - 1)/RR
# rate ratio
RR = target/reference
# excess cases
EC = RD * p

```

As the math communicates, the PAR is the rate difference expressed as a fraction of total risk for the target population. This could also be read as the fraction of risk in the target population that would have been removed had the target rate equaled the reference rate (Menvielle et al. 2017).

Comparing age-standardized rates:

If the user provides a list of `stand_surveil` objects with age-standardized rates (instead of a single `surveil` model), then the exact calculations will be completed as follows. The RR is simply the ratio of age-standardized rates, and the rate difference is similarly the difference between age-standardized rates. However, excess cases is calculated for each age group separately, and the total excess cases across all age groups is returned. Similarly, the attributable risk is calculated by taking the total excess cases across all age groups per year and dividing by the total risk (i.e., by the sum of the whole number of cases across all age groups). Cumulative excess cases is the sum of the time-period specific total number of excess cases. (Notice that the PAR is not equal to $(RR-1)/RR$ when the PAR is derived from a number of age-specific rates and the RR is based on age-standardized rates.)

Value

A list, also of class "surveil_diff", with the following elements:

summary A tibble with a summary of posterior distributions (mean and 95 percent cred. intervals) for the target group incidence rate, the RD, RR, PAR, and excess cases.

cumulative_cases Summary of the posterior distribution for the cumulative number of excess cases and the PAR (mean and 95 percent cred. intervals)

groups Character string with target and reference population names

samples A data frame of MCMC samples for each quantity of interest (target and reference rates, RD, RR, PAR, and EC, as well as `Trend_Cases = Rate * Population`). Indexed by time.

cum_samples MCMC samples of the cumulative number of excess cases.

Author(s)

Connor Donegan (Connor.Donegan@UTSouthwestern.edu)

Source

Menvielle, G, Kulhanoova, I, Machenbach, JP. Assessing the impact of a public health intervention to reduce social inequalities in cancer. In: Vaccarella, S, Lortet-Tieulent, J, Saracci, R, Conway, D, Straif, K, Wild, CP, editors. Reducing Social Inequalities in Cancer: Evidence and Priorities for Research. Geneva, Switzerland: WHO Press, 2017:185-192.

See Also

[plot.surveil_diff](#) [print.surveil_diff](#) [theil](#)

Examples

```
data(msa)
houston <- msa[grep("Houston", msa$MSA), ]
fit <- stan_rw(houston, time = Year, group = Race,
              chains = 2, iter = 900) # low iter for speed only
gd <- group_diff(fit, "Black or African American", "White")
print(gd, scale = 100e3)
plot(gd, scale = 100e3)
```

msa

Colorectal cancer incidence by Texas MSA, 1999-2017, ages 50-79

Description

Annual counts of colorectal cancer (cancer of colon or rectum), ages 50-79, for Texas's top four metropolitan statistical areas (MSAs), with population at risk estimates, by race-ethnicity (non-Hispanic White, non-Hispanic Black, Hispanic/Latino).

Usage

msa

Format

A tibble with the following attributes:

Year Year of diagnosis

Race Race-ethnicity designation

MSA Metropolitan statistical area

Count Number of CRC cases

Population Age-specific population estimate

Source

United States Cancer Statistics—Incidence: 1999-2017, WONDER Online Database. United States Department of Health and Human Services, Centers for Disease Control and Prevention and National Cancer Institute; 2020. Accessed at <http://wonder.cdc.gov/cancer-v2017.html> on Nov 9, 2020 2:59:24 PM.

Examples

```
data(msa)
head(msa)
```

plot.surveil	<i>Methods for fitted surveil models</i>
--------------	--

Description

Print and plot methods for surveil model results

Usage

```
## S3 method for class 'surveil'
print(x, scale = 1, ...)

## S3 method for class 'surveil'
plot(
  x,
  scale = 1,
  style = c("mean_qi", "lines"),
  facet = FALSE,
  facet_scales = c("fixed", "free"),
  ncol = NULL,
  base_size = 14,
  palette = "Dark2",
  M = 250,
  alpha,
  lwd,
  fill = "gray80",
  size = 1.5,
  ...
)

## S3 method for class 'list'
plot(
  x,
  scale = 1,
  style = c("mean_qi", "lines"),
  facet = FALSE,
  ncol,
  facet_scales = c("fixed", "free"),
  M = 250,
  base_size = 14,
  palette = "Dark2",
  fill = "gray80",
```



```

    size = 1.5,
    alpha,
    lwd,
    ...
  )

```

Arguments

x	A fitted surveil model, or a list of stand_surveil objects (as produced by standardize).
scale	Scale the rates by this amount; e.g., scale = 100e3 will print rates per 100,000 at risk.
...	For the plot method, additional arguments will be passed to theme ; for the print method, additional arguments will be passed to print.data.frame .
style	If style = "mean_qi", then the posterior mean and 95 percent credible interval will be plotted; if style = "lines", then M samples from the joint probability distribution of the annual rates will be plotted.
facet	If facet = TRUE, facet_wrap will be used instead of differentiating by line color.
facet_scales	When facet = TRUE, this argument controls behavior of the scales for each subplot. See the scales argument to facet_wrap .
ncol	Number of columns for the plotting device; optional and only used if facet = TRUE. If ncol = 1, the three plots will be aligned vertically in one column; if ncol = 3 they will be aligned horizontally in one row. Defaults to ncol = NULL to allow facet_wrap to automatically determine the number of columns.
base_size	Passed to theme_classic() to control size of plot components (text).
palette	For multiple groups, choose the color palette. For a list of options, see scale_color_brewer . The default is palette = "Dark2". Not used if facet = TRUE.
M	If style = "lines", then M is the number of samples from the posterior distribution that will be plotted; the default is M = 250.
alpha	Numeric value from zero to one. When style = "lines", this controls transparency of lines; passed to geom_line . For style = "mean_qi", this controls the transparency of the shaded credible interval; passed to geom_ribbon .
lwd	Numeric value indicating linewidth. Passed to geom_line
fill	Color for the shaded credible intervals; only used when style = "mean_qi".
size	Positive numeric value. For style = "mean_qi", this controls the size of the points representing crude rates. To exclude these points from the plot altogether, use size = 0.

Value

The plot method returns a ggplot object; the print method returns nothing but prints a summary of results to the R console. If x is a list of stand_surveil objects, the plotted lines will be labeled using the names returned by names(x); if elements of the list are not named, plotted lines will simply be numbered.

Author(s)

Connor Donegan (Connor.Donegan@UTSouthwestern.edu)

See Also

[stan_rw](#)

Examples

```
data(msa)
houston <- msa[grep("Houston", msa$MSA), ]
fit <- stan_rw(houston, time = Year, group = Race,
              chains = 2, iter = 900) # for speed only

print(fit)

## plot probability distribution for disease risk
plot(fit, style = "lines")
plot(fit, facet = TRUE, scale = 100e3)

## as a ggplot, you can customize the output
library(ggplot2)
plot(fit) + theme_bw()
```

plot.theil

Methods for Theil's index

Description

Printing and plotting methods for Theil's inequality index

Usage

```
## S3 method for class 'theil'
plot(
  x,
  style = c("mean_qi", "lines"),
  M = 250,
  col = "black",
  fill = "black",
  alpha,
  lwd,
  base_size = 14,
  scale = 100,
```

```

    labels = x$summary$time,
    ...
  )

## S3 method for class 'theil_list'
plot(
  x,
  style = c("mean_qi", "lines"),
  M = 250,
  col = "black",
  fill = "black",
  alpha,
  lwd,
  between_title = "Between",
  within_title = "Within",
  total_title = "Total",
  scale = 100,
  plot = TRUE,
  ncol = 3,
  base_size = 14,
  ...
)

## S3 method for class 'theil'
print(x, scale = 100, digits = 3, ...)

## S3 method for class 'theil_list'
print(x, scale = 100, digits = 3, ...)

```

Arguments

x	An object of class 'theil' or 'theil_list', as returned by calling <code>theilon</code> on a list of fitted <code>surveil</code> models
style	If <code>style = "mean_qi"</code> , then the posterior mean and 95 percent credible interval will be plotted; if <code>style = "lines"</code> , then M samples from the joint probability distribution will be plotted.
M	If <code>style = "lines"</code> , then M is the number of samples from the posterior distribution that will be plotted; the default is <code>M = 250</code> .
col	Line color
fill	Fill color
alpha	For <code>style = "mean_qi"</code> , this controls the transparency for the credible interval (passed to <code>geom_ribbon</code>) and defaults to <code>alpha = 0.5</code> ; for <code>style = "lines"</code> , this controls the transparency of the lines and defaults to <code>alpha = 0.7</code> .
lwd	Line width; for <code>style = "mean_qi"</code> , the default is <code>lwd = 1</code> ; for <code>style = "lines"</code> , the default is <code>lwd = 0.05</code> .
base_size	Passed to <code>theme_classic</code> to control size of plot elements (e.g., text)

scale	Scale Theil's index by scale
labels	x-axis labels (time periods)
...	additional arguments
between_title	Plot title for the between geography component of Theil's T; defaults to "Between".
within_title	Plot title for the within geography component of Theil's T; defaults to "Within".
total_title	Plot title for Theil's index; defaults to "Total".
plot	If FALSE, return a list of ggplots. Not used when style = "lines".
ncol	Number of columns for the plotting device. If ncol = 1, the three plots will be aligned vertically in one column; if ncol = 3 they will be aligned horizontally in one row.
digits	number of digits to print (passed to print.data.frame)

Value

plot.theil:

The plot method returns an object of class ggplot.

plot.theil_list:

If style = "lines", the plot method for theil_list objects returns a ggplot with facets for each component of inequality (between-areas, within-areas, and total). For style = "mean_qi", the plot method returns either a list of plots (all of class ggplot) or, when plot = TRUE, it will draw them to current plotting device using [grid.arrange](#).

print.theil:

The print returns nothing and method prints a summary of results to the R console.

See Also

[theil](#)

print.apc

Methods for APC objects

Description

Methods for APC objects

Usage

```
## S3 method for class 'apc'
print(x, digits = 1, max = 20, ...)

## S3 method for class 'apc'
plot(
  x,
  cumulative = FALSE,
  style = c("mean_qi", "lines"),
  M = 250,
  col = "black",
  fill = "black",
  alpha,
  lwd,
  base_size = 14,
  ...
)
```

Arguments

x	An apc object returned by apc
digits	Print this many digits (passed to print.data.frame)
max	Maximum number of time periods (rows) to print
...	additional arguments; for the print argument, these will be passed to print.data.frame . For the plot method, these will be passed to theme .
cumulative	Plot cumulative percent change? Defaults to cumulative = FALSE
style	If style = "mean_qi", then the posterior mean and 95 percent credible interval will be plotted; if style = "lines", then M samples from the joint probability distribution will be plotted.
M	If style = "lines", then M is the number of samples from the posterior distribution that will be plotted; the default is M = 250.
col	Line color
fill	Fill color for the 95 percent credible interval
alpha	For style = "mean_qi", this controls the transparency for the credible interval (passed to geom_ribbon) and defaults to alpha = 0.5; for style = "lines", this controls the transparency of the lines and defaults to alpha = 0.7.
lwd	Line width
base_size	Size of plot attributes, passed to theme_classic

Value**print:**

The print method does not have a return value, but prints a summary of results to the R console.

Plot:

The plot method returns a ggplot.

See Also[apc](#)

 print.stand_surveil *Methods for age-standardized rates*

Description

Print and plot methods for stand_surveil (standardized rates obtained from a fitted surveil model)

Usage

```
## S3 method for class 'stand_surveil'
print(x, scale = 1, digits = 3, ...)

## S3 method for class 'stand_surveil'
plot(
  x,
  scale = 1,
  style = c("mean_qi", "lines"),
  M = 250,
  base_size = 14,
  col = "black",
  fill = "gray80",
  alpha,
  lwd,
  ...
)
```

Arguments

x	An object of stand_surveil obtained by calling standardize on a fitted surveil model
scale	Scale the rates by this amount; e.g., scale = 100e3 will print rates per 100,000 at risk.
digits	Number of digits to print
...	additional arguments
style	If style = "mean_qi", then the posterior means and 95 percent credible intervals will be plotted; if style = "lines", then M samples from the joint posterior distribution will be plotted.
M	Number of samples to plot when style = "lines"
base_size	Passed to theme_classic() to control size of plot components (text).
col	Line color

fill	Fill color for the 95 percent credible intervals
alpha	For style = "mean_qi", this controls the transparency for the credible interval (passed to geom_ribbon) and defaults to alpha = 0.5; for style = "lines", this controls the transparency of the lines and defaults to alpha = 0.7.
lwd	Line width; for style = "mean_qi", the default is lwd = 1; for style = "lines", the default is lwd = 0.05.

Details

Calling `standardize` on a fitted `surveil` model will create a new object that contains the `surveil` model results as well standardized rates. This new `stand_surveil` object has its own methods for printing and plotting.

print.stand_surveil:

Any additional arguments (...) will be passed to [print.data.frame](#)

plot.stand_surveil:

Any additional arguments (...) will be passed to `'theme`.

Value

print.stand_surveil:

The print method returns nothing but prints a summary of results to the console.

plot.stand_surveil:

The plot method returns an object of class `ggplot`.

See Also

[standardize stan_rw](#)

priors

Prior distributions

Description

Prior distributions

Usage

```
normal(location = 0, scale, k = 1)
```

```
lkj(eta)
```

Arguments

location	Location parameter (numeric)
scale	Scale parameter (positive numeric)
k	Optional; number of groups for which priors are needed. This is a shortcut to avoid using the rep function to repeat the same prior for each group, as in: <code>normal(location = rep(0, times = 3), scale = rep(1, times = 3))</code> . To provide distinct priors for each group, simply specify them individually, as in <code>normal(location = c(-5, -6, -8), scale = c(2, 2, 2))</code> .
eta	The shape parameter for the LKJ prior

Details

The prior distribution functions are used to set the values of prior parameters.

Users can control the values of the parameters, but the distribution (model) itself is fixed. The first log-rate (`eta[t]`, `t=1`) and the scale parameters (`sigma`) are assigned Gaussian (`normal`) prior distribution. (The scale parameter, `sigma`, is constrained to be positive, making it a half-normal prior.) For correlated time series, the correlation matrix is assigned the LKJ prior.

Parameterizations:

For details on how any distribution is parameterized, see the Stan Language Functions Reference document: <https://mc-stan.org/users/documentation/>.

LKJ prior:

The LKJ prior for correlation matrix has a single parameter, `eta` (`eta > 0`). If `eta=1`, then you are placing a uniform prior on any K-by-K correlation matrix. For `eta > 1`, there is a higher probability on the identity matrix, such that as `eta` increases beyond 1, you are expressing greater skepticism towards large correlations. If `0 < eta < 1`, then you will be expressing skepticism towards correlations of zero and favoring non-zero correlations. See Stan documentation: https://mc-stan.org/docs/2_27/functions-reference/lkj-correlation.html.

Value

An object of class `prior` which will be used internally by `surveil` to set parameters of prior distributions.

Source

Stan Development Team. Stan Functions Reference Version 2.27. https://mc-stan.org/docs/2_27/functions-reference/lkj-correlation.html

Examples

```
# note there are three groups in the data, each requires a prior
prior <- list()
prior$eta_1 <- normal(location = -6, scale = 4, k = 3)
## by default, location = 0
prior$sigma <- normal(scale = 1, k = 3)
```



```
prior$omega <- lkj(2)

dfw <- msa[grep("Dallas", msa$MSA), ]
fit <- stan_rw(dfw, time = Year, group = Race, prior = prior,
              chains = 2, iter = 900) # for speed only
plot(fit)
```

standard	<i>2000 U.S. standard million population</i>
----------	--

Description

2000 U.S. standard million population

Usage

```
standard
```

Format

An object of class `data.frame` with 19 rows and 3 columns.

Source

National Cancer Institute. Standard Populations - 19 Age Groups. Accessed at <https://seer.cancer.gov/stdpopulations/stdpop.19ages.html> on Oct. 8, 2021.

Examples

```
data(standard)
head(standard)
```

standardize	<i>Age-standardized rates</i>
-------------	-------------------------------

Description

Convert surveil model results to age standardized rates using a fixed age distribution

Usage

```
standardize(x, label, standard_pop)
```

Arguments

<code>x</code>	A fitted surveil model
<code>label</code>	Labels (character strings) for the age groups that correspond to the values of <code>stand_pop</code> . The labels must match the grouping variable used to fit the model (i.e., <code>all(label %in% names(x\$data\$cases))</code> must be true).
<code>standard_pop</code>	Standard population values corresponding to the age groups specified by <code>label</code>

Value

A list, also of class "stand_surveil", containing the entire contents of the user-provided surveil model plus the following:

standard_summary summary data frame of standardized rates (means and 95 percent credible intervals)

standard_samples a data frame of Markov chain Monte Carlo (MCMC) samples from the posterior probability distribution for the standardized rates

standard_label user-provided age-group labels

standard_pop user-provided standardized population sizes (ordered as `standard_label`)

See Also

`vignette("age-standardization", package = "surveil")` [stan_rwplot.stand_surveil](#) [print.stand_surveil](#)

Examples

```
data(cancer)
data(standard)

head(standard)
head(cancer)

fit <- stan_rw(cancer,
              time = Year,
              group = Age,
              chains = 2, iter = 900 # for speed only
              )

stands <- standardize(fit,
                    label = standard$age,
                    standard_pop = standard$standard_pop)

print(stands)
plot(stands, style = "lines")
```

stan_rw

*Time series models for mortality and disease incidence***Description**

Model time-varying incidence rates given a time series of case (or death) counts and population at risk.

Usage

```
stan_rw(
  data,
  group,
  time,
  cor = FALSE,
  family = poisson(),
  prior = list(),
  chains = 4,
  cores = 1,
  iter = 3000,
  refresh = 1500,
  control = list(adapt_delta = 0.98),
  ...
)
```

Arguments

data	A data.frame containing the following columns: Count Number of cases or deaths; this column must be named 'Count'. Population Size of population at risk; this column must be named 'Population'. time Time period indicator. (Provide the (unquoted) column name using the time argument.) group Optional grouping variable. (Provide the (unquoted) column name using the group argument.)
group	If data is aggregated by demographic group, provide the (unquoted) name of the column in data containing the grouping structure, such as age brackets or race-ethnicity. E.g., if data has column names Year, Race, Cases, and Population, then you would provide group = Race.
time	Specify the (unquoted) name of the time variable in data, as in time = Year. This variable must be numeric-alike (i.e., as.numeric(data\$time) will not fail).
cor	For correlated random walks use cor = TRUE; default value is FALSE. Note this only applies when the group argument is used.
family	The default specification is a Poisson model with log link function (family = poisson()). For a Binomial model with logit link function, use family = binomial().

prior	<p>Optionally provide a named list with prior parameters. If any of the following items are missing, default priors will be assigned and printed to the console.</p> <p>eta_1 The first value of log-risk in each series must be assigned a Gaussian prior probability distribution. Provide the location and scale parameters for each demographic group in a list, where each parameter is a k-length vector. For example, with k=2 demographic groups, the following code will assign priors of <code>normal(-6.5, 5)</code> to the starting values of both series: <code>prior = list(eta_1 = normal(loc</code> Note, eta is the log-rate, so centering the prior for eta_1 on -6.5 is similar to centering the prior rate on $\exp(-6.5) \times 100,000 = 150$ cases per 100,000 person-years at risk. Note, however, that the translation from log-rate to rate is non-linear.</p> <p>sigma Each demographic group has a scale parameter assigned to its log-rate. This is the scale of the annual deviations from the previous year's log-rate. The scale parameters are assigned independent half-normal prior distributions (these half normal distributions are restricted to be positive-valued only).</p> <p>omega If <code>cor = TRUE</code>, an LKJ prior is assigned to the correlation matrix, Omega.</p>
chains	Number of independent MCMC chains to initiate (passed to <code>sampling</code>).
cores	The number of cores to use when executing the Markov chains in parallel (passed to <code>sampling</code>).
iter	Total number of MCMC iterations. Warmup draws are automatically half of iter.
refresh	How often to print the MCMC sampling progress to the console.
control	A named list of parameters to control Stan's sampling behavior. The most common parameters to control are <code>adapt_delta</code> , which may be raised to address divergent transitions, and <code>max_treedepth</code> . For example, <code>control = list(adapt_delta = 0.99, max_treedepth = 13)</code> , may be a reasonable specification to address a divergent transitions or maximum treedepth warning from Stan.
...	Other arguments passed to <code>sampling</code> .

Details

By default, the models have Poisson likelihoods for the case counts, with log link function. Alternatively, a Binomial model with logit link function can be specified using the `family` argument (`family = binomial()`).

For time $t = 1, \dots, n$, the models assign Poisson probability distribution to the case counts, given log-risk η_t and population at tirks P_t ; the log-risk is modeled using the first-difference (or random-walk) prior:

```

y_t ~ Poisson(p_t * exp(eta_t))
eta_t ~ Normal(eta_{t-1}, sigma)
eta_1 ~ Normal(-6, 5) (-Inf, 0)
sigma ~ Normal(0, 1) (0, Inf)

```

This style of model has been discussed in Bayesian (bio)statistics for quite some time. See Clayton (1996).

The above model can be used for multiple distinct groups; in that case, each group will have its own independent time series model.

It is also possible to add a correlation structure to that set of models. Let Y_t be a k -length vector of observations for each of k groups at time t (the capital letter now indicates a vector), then:

```

Y_t ~ Poisson(P_t * exp(Eta_t))
Eta_t ~ MVNormal(Eta_{t-1}, Sigma)
Eta_1 ~ Normal(-6, 5) (-Inf, 0)
Sigma = diag(sigma) * Omega * diag(sigma)
Omega ~ LKJ(2)
sigma ~ Normal(0, 1) (0, Inf)

```

where Ω is a correlation matrix and $\text{diag}(\text{sigma})$ is a diagonal matrix with scale parameters on the diagonal. This was adopted from Brandt and Williams (2007); for the LKJ prior, see the Stan Users Guide and Reference Manual.

If the binomial model is used instead of the Poisson, then the first line of the model specifications will be:

```

y_t ~ binomial(P_t, inverse_logit(eta_t))

```

All else remains the same. The logit function is $\log(r/(1-r))$, where r is a rate between zero and one; the inverse-logit function is $\exp(x)/(1 + \exp(x))$.

Value

The function returns a list, also of class `surveil`, containing the following elements:

summary A `data.frame` with posterior means and 95 percent credible intervals, as well as the raw data (Count, Population, time period, grouping variable if any, and crude rates).

samples A `stanfit` object returned by `sampling`. This contains the MCMC samples from the posterior distribution of the fitted model.

cor Logical value indicating if the model included a correlation structure.

time A list containing the name of the time-period column in the user-provided data and a `data.frame` of observed time periods and their index.

group If a grouping variable was used, this will be a list containing the name of the grouping variable and a `data.frame` with group labels and index values.

family The user-provided family argument.

Author(s)

Connor Donegan (Connor.Donegan@UTSouthwestern.edu)

Source

Brandt P and Williams JT. Multiple time series models. Thousand Oaks, CA: SAGE Publications, 2007.

Clayton, DG. Generalized linear mixed models. In: Gilks WR, Richardson S, Spiegelhalter DJ, editors. Markov Chain Monte Carlo in Practice: Interdisciplinary Statistics. Boca Raton, FL: CRC Press, 1996. p. 275-302.

Donegan C, Hughes AE, and Lee SC (2022). Colorectal Cancer Incidence, Inequalities, and Prevention Priorities in Urban Texas: Surveillance Study With the "surveil" Software Package. *JMIR Public Health & Surveillance* 8(8):e34589. doi:10.2196/34589

Stan Development Team. Stan Modeling Language Users Guide and Reference Manual, 2.28. 2021. <https://mc-stan.org>

See Also

`vignette("demonstration", package = "surveil") vignette("age-standardization", package = "surveil")` [apc standardize](#)

Examples

```
library(rstan)
data(msa)
austin <- msa[grep("Austin", msa$MSA), ]

fit <- stan_rw(austin,
              time = Year,
              group = Race,
              chains = 2, iter = 900) # for speed only

## MCMC diagnostics
rstan::stan_mcse(fit$samples)
rstan::stan_rhat(fit$samples)
print(fit$samples)

## print the surveil object
print(fit)
head(fit$summary)

## plot time trends
plot(fit, style = 'lines')

## age-specific rates and cumulative percent change
data(cancer)
fit <- stan_rw(cancer, time = Year, group = Age,
              chains = 2, iter = 900) # for speed only
fit_apc <- apc(fit)
plot(fit_apc, cumulative = TRUE)

# age-standardized rates
data(standard)
```

```

fit_stands <- standardize(fit,
                          label = standard$age,
                          standard_pop = standard$standard_pop)

print(fit_stands)
plot(fit_stands)
fit_stands_apc <- apc(fit_stands)
plot(fit_stands_apc)

```

surveil_diff

Methods for surveil_diff objects

Description

Methods for surveil_diff objects
 print surveil_diff objects for analyses of inequality

Usage

```

## S3 method for class 'surveil_diff'
plot(
  x,
  style = c("mean_qi", "lines"),
  M = 250,
  col = "black",
  fill = "gray80",
  lwd,
  alpha,
  plot = TRUE,
  scale = 1e+05,
  PAR = TRUE,
  ncol = 3,
  base_size = 14,
  ...
)

## S3 method for class 'surveil_diff'
print(x, scale = 1, ...)

```

Arguments

x	Object of class surveil_diff, as returned by calling group_diff on a fitted surveil model
style	If style = "mean_qi", then the posterior mean and 95 percent credible interval will be plotted; if style = "lines", then M samples from the joint probability distribution of the annual rates will be plotted.

M	If style = "lines", then M is the number of samples from the posterior distribution that will be plotted; the default is M = 250.
col	Line color
fill	Fill color for credible intervals, passed to geom_ribbon
lwd	Linewidth
alpha	transparency; for style = "mean_qi", controls the credible interval shading; for style = "lines", this is applied to the lines
plot	If plot = FALSE, a list of ggplots will be returned
scale	Print rates and rate differences as per scale at risk, e.g., per 10,000 at risk.
PAR	Return population attributable risk? IF FALSE, then the rate ratio will be used instead of PAR.
ncol	Number of columns for the plotting device. If ncol = 1, the three plots will be aligned vertically in one column; if ncol = 3 they will be aligned horizontally in one row.
base_size	Passed to theme_classic to control size of plot elements (e.g., text)
...	additional print arguments

Value

plot.surveil_diff:

By default or whenever plot = TRUE, the plot method draws a series of plots to the current plotting device using [grid.arrange](#). If plot = FALSE, then a list of ggplots is returned.

print.surveil_diff:

The print method returns nothing and prints a summary of results to the console.

theil	<i>Theil's inequality index</i>
-------	---------------------------------

Description

Theil's entropy-based index of inequality

Usage

```
theil(x)

theil2(Count, Population, rates, total = TRUE)

## S3 method for class 'surveil'
theil(x)

## S3 method for class 'list'
theil(x)
```


Arguments

<code>x</code>	A fitted surveil model, from <code>stan_rw</code> ; or, a list of fitted surveil models, where each model represents a different geographic area (e.g., states).
<code>Count</code>	Case counts, integers
<code>Population</code>	Population at risk, integers
<code>rates</code>	If <code>Count</code> is not provided, then rates must be provided (<code>Count = rates * Population</code>).
<code>total</code>	If <code>total = TRUE</code> , Theil's index will be returned. Each unit contributes to Theil's index; if <code>total = FALSE</code> , all of the elements that sum to Theil's index will be returned.

Details

Theil's index is a good index of inequality in disease and mortality burdens when multiple groups are being considered. It provides a summary measure of inequality across a set of demographic groups that may be tracked over time (and/or space). Also, it is interesting because it is additive, and thus admits of simple decompositions.

The index measures discrepancies between a population's share of the disease burden, ω , and their share of the population, η . A situation of zero inequality would imply that each population's share of cases is equal to its population share, or, $\omega = \eta$. Each population's contribution to total inequality is calculated as:

$$T_i = \omega_i * [\log(\omega_i/\eta_i)],$$

the log-ratio of case-share to population-share, weighted by their share of cases. Theil's index for all areas is the sum of each area's T_i :

$$T = \sum_{i=1}^n T_i.$$

Theil's T is thus a weighted mean of log-ratios of case shares to population shares, where each log-ratio (which we may describe as a raw inequality score) is weighted by its share of total cases. The index has a minimum of zero and a maximum of $\log(N)$, where N is the number of units (e.g., number of states).

Theil's index, which is based on Shannon's information theory, can be extended to measure inequality across multiple groups nested within non-overlapping geographies (e.g., states).

Value**theil2:**

If `total = TRUE` (the default), `theil2` returns Theil's index as a numeric value. Else, `theil2` returns a vector of values that sum to Theil's index.

theil.surveil:

A named list with the following elements:

summary A `data.frame` summarizing the posterior probability distribution for Theil's T , including the mean and 95 percent credible interval for each time period

samples A `data.frame` with MCMC samples for Theil's T

theil.list:

A list (also of class `theil_list`) containing a summary data frame and a `tbl_df` containing MCMC samples for Theil's index at each time period.

The summary data frame includes the following columns:

time time period

Theil Posterior mean for Theil's index; equal to the sum of `Theil_between` and `Theil_within`.

Theil_between The between-areas component to Theil's inequality index

Theil_within The within-areas component to Theil's inequality index

Additional columns contain the upper and lower limits of the 95 percent credible intervals for each component of Theil's index.

The data frame of samples contains the following columns:

time Time period indicator

.draw An id for each MCMC sample; note that samples are from the joint distribution

Theil_between The between-geographies component of Theil's index

Theil_within The within-geographies component of Theil's index

Theil Theil's inequality index ($T = \text{Between} + \text{Within}$).

Source

Conceicao, P. and P. Ferreira (2000). The young person's guide to the Theil Index: Suggesting intuitive interpretations and exploring analytical applications. University of Texas Inequality Project. UTIP Working Paper Number 14. Accessed May 1, 2021 from <https://utip.gov.utexas.edu/papers.html>

Conceicao, P, Galbraith, JK, Bradford, P. (2001). The Theil Index in sequences of nested and hierarchic grouping structures: implications for the measurement of inequality through time, with data aggregated at different levels of industrial classification. *Eastern Economic Journal*. 27(4): 491-514.

Theil, Henri (1972). *Statistical Decomposition Analysis*. Amsterdam, The Netherlands and London, UK: North-Holland Publishing Company.

Shannon, Claude E. and Weaver, Warren (1963). *The Mathematical Theory of Communication*. Urbana and Chicago, USA: University of Illinois Press.

See Also

[plot.theil](#) [print.theil](#) [plot.theil_list](#)

Examples

```
houston <- msa[grep("Houston", msa$MSA), ]
fit <- stan_rw(houston, time = Year, group = Race,
              chains = 2, iter = 900) # for speed only
theil_dfw <- theil(fit)
plot(theil_dfw)
```

```
Count <- c(10, 12, 3, 111)
Pop <- c(1000, 1200, 4000, 9000)
theil2(Count, Pop)
theil2(Count, Pop, total = FALSE)
```

waic

Widely Applicable Information Criteria

Description

Widely Application Information Criteria (WAIC) for model comparison

Usage

```
waic(fit, pointwise = FALSE, digits = 2)
```

Arguments

<code>fit</code>	An surveil object
<code>pointwise</code>	Logical (defaults to FALSE); if <code>pointwise = TRUE</code> , a vector of values for each observation will be returned.
<code>digits</code>	Round results to this many digits.

Value

A vector of length 3 with WAIC, a rough measure of the effective number of parameters estimated by the model `Eff_pars`, and log predictive density `Lpd`. If `pointwise = TRUE`, results are returned in a `data.frame`.

Source

Watanabe, S. (2010). Asymptotic equivalence of Bayes cross validation and widely application information criterion in singular learning theory. *Journal of Machine Learning Research* 11, 3571-3594.

Examples

```
data(msa)
austin <- msa[grep("Austin", msa$MSA), ]
austin.w <- austin[grep("White", austin$Race),]
fit <- stan_rw(austin.w, time = Year,
              chains = 2, iter = 1200) # for speed only
waic(fit)
```

Index

- * **datasets**
 - cancer, 4
 - msa, 7
 - standard, 17
- apc, 3, 13, 14, 22
- cancer, 4
- facet_wrap, 9
- geom_line, 9
- geom_ribbon, 9, 11, 13, 15
- grid.arrange, 12, 24
- group_diff, 5
- lkj (priors), 15
- msa, 7
- normal (priors), 15
- plot.apc, 4
- plot.apc (print.apc), 12
- plot.list (plot.surveil), 8
- plot.stand_surveil, 18
- plot.stand_surveil
 - (print.stand_surveil), 14
- plot.surveil, 8
- plot.surveil_diff, 7
- plot.surveil_diff (surveil_diff), 23
- plot.theil, 10, 26
- plot.theil_list, 26
- plot.theil_list (plot.theil), 10
- print.apc, 4, 12
- print.data.frame, 9, 12, 13, 15
- print.stand_surveil, 14, 18
- print.surveil (plot.surveil), 8
- print.surveil_diff, 7
- print.surveil_diff (surveil_diff), 23
- print.theil, 26
- print.theil (plot.theil), 10
- print.theil_list (plot.theil), 10
- priors, 15
- sampling, 20, 21
- scale_color_brewer, 9
- stan_rw, 4, 10, 15, 18, 19, 25
- standard, 17
- standardize, 4, 5, 9, 14, 15, 17, 22
- surveil (surveil-package), 2
- surveil-package, 2
- surveil_diff, 23
- theil, 7, 12, 24
- theil2 (theil), 24
- theme, 9, 13, 15
- theme_classic, 13
- waic, 27