

Package ‘leukemiasEset’

March 29, 2021

Type Package

Title Leukemia's microarray gene expression data (expressionSet).

Version 1.26.0

Date 2013-03-20

Author Sara Aibar, Celia Fontanillo and Javier De Las Rivas. Bioinformatics and Functional Genomics Group. Cancer Research Center (CiC-IBMCC, CSIC/USAL). Salamanca. Spain.

Maintainer Sara Aibar <saibar@usal.es>

Depends R (>= 2.10.1), Biobase (>= 2.5.5)

Description Expressionset containing gene expression data from 60 bone marrow samples of patients with one of the four main types of leukemia (ALL, AML, CLL, CML) or non-leukemia.

License GPL (>= 2)

LazyLoad yes

biocViews Tissue, Genome, Homo_sapiens_Data, CancerData, LeukemiaCancerData, MicroarrayData, ChipOnChipData, TissueMicroarrayData, GEO

git_url <https://git.bioconductor.org/packages/leukemiasEset>

git_branch RELEASE_3_12

git_last_commit 2f260f7

git_last_commit_date 2020-10-27

Date/Publication 2021-03-29

R topics documented:

leukemiasEset 2

Index 5

leukemiasEset

Leukemia's microarray gene expression data (expressionSet).

Description

ExpressionSet containing gene expression data from 60 bone marrow samples of patients with one of the four main types of leukemia (ALL, AML, CLL, CML) or no-leukemia controls.

Platform: Affymetrix Human Genome U133 Plus 2.0

Annotation: genemapperhgu133plus2 (CDF from GATEExplorer)

Mapping: Gene Ensembl ID (20172 features)

Tissue: Bone Marrow

Cell type: Mononuclear cells isolated by Ficoll density centrifugation

Disease type:

1. Acute Lymphoblastic Leukemia (ALL). Subtype: c-ALL / pre-B-ALL without t(9;22)
2. Acute Myeloid Leukemia (AML). Subtype: Normal karyotype
3. Chronic Lymphocytic Leukemia (CLL)
4. Chronic Myeloid Leukemia (CML)
5. Non-leukemia and healthy bone marrow (NoL)

All samples were obtained from untreated patients at the time of diagnosis.

Preprocessing: The microarrays were normalized with [RMA](#) using a redefined probe mapping from *Affymetrix* probesets to *Ensembl* genes (Ensembl IDs ENSG). This alternative Chip Definition File (CDF) with complete unambiguous mapping of microarray probes to genes (GeneMapper) is available at GATEExplorer (<http://bioinfow.dep.usal.es/xgate/mapping/mapping.php>) (Risueno *et al.* 2010).

Usage

```
data(leukemiasEset)
```

Format

`ExpressionSet` with phenoData:

- Project: "Mile1" for all samples
- Tissue: "BoneMarrow"
- LeukemiaType: Leukemia type acronym: "ALL", "AML", "CLL", "CML" or "NoL"
- LeukemiaTypeFullName: The full leukemia type name.
- Subtype: "AML with normal karyotype and other abnormalities", or "c_ALL/Pre_B_ALL without t(9 22)" if applies

Details

Package: leukemiasEset
Type: Package
Version: 1.0
Date: 2013-03-13
License: GPL (>=2)
LazyLoad: yes

Author(s)

Author: Sara Aibar, Celia Fontanillo and Javier De Las Rivas. Bioinformatics and Functional Genomics Group. Cancer Research Center (CiC-IBMCC, CSIC/USAL). Salamanca. Spain.

Maintainer: Sara Aibar <saibar@usal.es>

Source

This is a subset of the samples collected by the Microarray Innovations in Leukemia (MILE) study (Kohlmann *et al.* 2008, Haferlach *et al.* 2010). Full study microarray raw data can be found at the NCBI Gene Expression Omnibus database (GEO, <http://www.ncbi.nlm.nih.gov/geo/>) under series accession number GSE13159. The selected samples are labelled keeping their source GEO IDs.

References

Kohlmann A, Kipps TJ, Rassenti LZ, Downing JR *et al.* An international standardization programme towards the application of gene expression profiling in routine leukaemia diagnostics: the Microarray Innovations in LEukemia study prephase. *Br J Haematol* (2008) 142(5):802-7. PMID: 18573112

Haferlach T, Kohlmann A, Wiczorek L, Basso G *et al.* Clinical utility of microarray-based gene expression profiling in the diagnosis and subclassification of leukemia: report from the International Microarray Innovations in Leukemia Study Group. *J Clin Oncol* (2010) 28(15):2529-37. PMID: 20406941

Risueno A, Fontanillo C, Dinger ME, De Las Rivas J. GATEplorer: genomic and transcriptomic explorer; mapping expression probes to gene loci, transcripts, exons and ncRNAs. *BMC Bioinformatics* (2010) 11:221. PMID: 20429936.

See Also

This dataset is used in the examples on package [geNetClassifier](#).

Examples

```
# Load expression set:
library(leukemiasEset)
data(leukemiasEset)

# ExpressionSet overview:
```

```
leukemiasEset

# Phenodata:
pData(leukemiasEset)

# Number of samples per class:
summary(leukemiasEset$LeukemiaType)

# For adding a prefix with the disease to the sample name:
sampleNames(leukemiasEset) <- paste(leukemiasEset$LeukemiaType,
  sampleNames(leukemiasEset), sep="_")
colnames(exprs(leukemiasEset))
```

Index

* **cancer**

leukemiasEset, [2](#)

* **datasets**

leukemiasEset, [2](#)

* **expression**

leukemiasEset, [2](#)

* **leukemia**

leukemiasEset, [2](#)

* **microarrays**

leukemiasEset, [2](#)

ExpressionSet, [2](#)

geNetClassifier, [3](#)

leukemiasEset, [2](#)

leukemiasEset-package (leukemiasEset), [2](#)

RMA, [2](#)